


# ELECTRIC FENCING

INSULATORS FENCE TOOLS ACCESSORIES

FENCE TESTERS FENCE ENERGIZERS



As a leading Chinese manufacturer of electric fences, H.P.S. Exports its products around the world.  
Our goal is to achieve a “one-stop” service for farmers.

# PRODUCT CATALOGUE

01	.....	COMPANY PROFILE
02-03	.....	ENERGIZERS
04	.....	FENCE TESTERS
05-08	.....	ROPES & TAPES
09-10	.....	FENCE TOOLS
11-22	.....	INSULATORS
23-29	.....	OTHER FENCING ACCESSORIES
30	.....	ANIMAL TRAPS
31	.....	ANIMAL DRINKERS & FEEDERS
32-35	.....	CHICKEN COOP DOOR OPENERS
36-39	.....	CHICKEN NETTINGS
40-42	.....	ELECTRIC NETTINGS
43-46	.....	PET PRODUCTS



# COMPANY PROFILE

---

WELCOME TO H.P.S. FENCE SUPPLIER CO., LTD.

H.P.S. was created in 2013 with the aim of our main products being farm tools. Since then we have gradually moved into the plastics and electronics industries by constantly developing electric fencing products. As a leading Chinese manufacturer of electric fences, H.P.S. Exports its products around the world.

Through technological innovation and product optimization, we continue to improve our products. We offer a wide range which include insulators, fence tools, fence testers, fence energizers, and accessories. We export our technology worldwide.

We are not only sales exporters, but are the manufacturer of the majority products we sell. We have our own factory set up with the purpose manufacturer only for H.P.S.. We have worked in cooperation with our customers to meet their needs which have also witnessed our growth. We treat every customer's enquiry with honesty and integrity to allow us to answer each customer's question with the best solution at the most competitive and reliable price, and to the most attentive service to meet customers' requirements. Our goal is to achieve a "one-stop" service for farmers.

# ENERGIZERS



The HPS fence energizer is for containment of sheep, poultry, the exclusion of wild predators and special applications. HPS fence energizer with controlled up to 0.5, 1.0 and 2.0 joules. Easy to operate main equipment for short runs of fence up to 5 KM, with little vegetation for cattle and horses. Very easy to install, with steel earth stick. It is waterproof, low average current use, it is long battery life. And it runs on a 12V battery.

Their reduced weight and compact design, their robustness make them the ideal solution for electrification of mobile or subdivision fencing.



## Energizer includes :

- 1X battery electric fence energizer
- 1X1000MM battery wire with plastic covered crocodile clips
- 1X1000MM fence wire
- 1X1000MM earth wire
- 2X200MM earth stakes



### HP\$050

Battery fence energizer



### HP\$100

Adapter fence energizer



### HP\$200





Solar fence energizer







1



2



Item				
050	12.5KV	2.5KV	0.5J	0.375J
100	12.5KV	3KV	1J	0.75J
200	12.5KV	4KV	2J	1.5J

Accessories						
HP\$050/100/200	●	●	●			
HP\$A050/100/200	●			●		
HP\$S050/100/200	●	●	●		●	●

# FENCE TESTERS



## FTR001

6 lamps voltmeter with user range between 1000V and 60000V  
PP, UV resistance  
72.8g/pc  
Size: 130\*45\*15mm



## FTR002

6 lamps voltmeter with user range between 1000V and 10000V  
PP, UV resistance  
76.8g/pc  
Size: 130\*45\*15mm



## FTR003

8 lamps voltmeter with user range between 600V and 7000V  
PP, UV resistance  
71.7g/pc  
Size: 100\*45\*15mm



## FTR004

10 lamps voltmeter with user range between 1000V and 10000V  
PP, UV resistance  
79.6g/pc  
Size: 158\*50\*14mm



## FTR005

Digital fault finder  
With a fault finding function  
175.3g/pc  
Size: 162\*73\*28mm



## FTR006

Mini portable LED fence tester  
between 1000V and 10000V  
29.2g/pc  
Size: 95\*46\*20mm

# ROPES & TAPES


---

# ROPE







Electric fence conductors



# ROPES



Specification can be customized according to clients' requirements.








ROPE	ITEM NO	Standard			LENGTH	PACKING
		DIA mm	Number of \$\$	Dia of \$\$		
1	R239015	2.3	9	0.15	500	spool/tube
2	R256019	2.5	6	0.19	500	spool/tube
3	R276030	2.7	6	0.30	200	spool/tube
4	R326019	3.2	6	0.19	500	spool/tube
5	R402050	4.0	2	0.50	500	spool/tube
6	R503035	5.0	3	0.35	250	spool/tube
7	R606030	6.0	6	0.30	500	spool/tube
8	R153015	1.5	3	0.15	200	spool/tube
9	R203019	2.0	3	0.19	500	spool/tube
10	R206015	2.0	6	0.15	500	spool/tube
11	R236015	2.3	6	0.15	500	spool/tube
12	R236017	2.3	6	0.17	500	spool/tube
13	R309019	3.0	9	0.19	200	spool/tube

## TAPES





Specification can be customized according to clients' requirements.



ROPE	ITEM NO	Standard			LENGTH	PACKING
		DIA mm	Number of SS	Dia of SS		
1	T1204015	12.0	04	0.15	200	spool/tube
2	T1205019	12.0	05	0.19	200	spool/tube
3	T2005030	20.0	05	0.30	500	spool/tube
4	T4006025	40.0	06	0.25	500	spool/tube
5	T4008035	40.0	08	0.35	250	spool/tube
6	T1204050	12.0	04	0.50	200	spool/tube
7	T1205015	12.0	05	0.15	200	spool/tube
8	T1206017	12.0	06	0.17	200	spool/tube
9	T1206019	12.0	06	0.19	400	spool/tube

# FENCE TOOLS



Photo	Product	Art.nr.	Description
1	Post Driver	WD-FT001	Outer Dia 60mm, Inner Dia 53mm, fit for Y posts, T posts and many others
2	Steel Post Clamp	WD-FT003	1m/1.22m/1.525m/1.83m ect.
3	Chain Strainer	WD-FT004	Dia60mm, thickness: 3.5mm, length: 800mm fit for Y posts, T posts and many others
4	Chain Strainer	WD-FT0041	4m chain, single hook with grabs, BZP
5	Post Lifter	WD-FT005	Dimensions(L x W x H): 82cm x 20.5cm x 36cm




Photo	Product	Art.nr.	Description
1	Spinning Jenny	WD-FT007	Adjustable Collapsible, total height: 75cm, weight: 7kgs
2	Spinning Jenny	WD-FT0072	Tough steel construction, easy assembly, quick-wire guide fingers Cone breaking to reduce wire tangling
3	Wire Spinner	WD-FT0073	Accommodates all coil sizes, including coated wire
4	Crimp Tool	WD-FT008	Length: 18", solt: 3, fit for 2.5mm, 5mm, 5.5mm aluminum sleeves
5	Tightener Handle	WD-FT010	Total: 290mm, handle length: 20mm, width between: 40mm
6	Steel Post Clamp	WD-FT011S	Hot dip galvanised, single & double, compatible with most mesh & netting fence.
7	Wire Puller	WD-FT012	Total length: 650mm, handle length: 400mm, gold Zinc plated handle
8	Tightener Handle	WD-FT014	Length: 480mm, width: 180mm, rod dia.: 10mm, handle length: 130mm weight: 80g, used for In-line strainer LJQ007
9	Wire Twisting Tool	WTT001	Steel tool is ideal for bending wire in small spaces such as splicing lines on woven wire
10	Fencing Plier	FCP10	10", cuts and twists wire, lifts and pulls staples, has a hammer face and comfortable non-slip handles
11	Post Driver	WD-FT017	800mm long, 75mm diameter pipe and weighs 9.5kg with solid striking dolly.

# INSULATORS



## JYZ002

Plastic ring insulator  
Screw in wooden post  
20g/pc  
PP, UV resistance  
For ropes max.10mm



## JYZ001

Plastic ring insulator  
Screw in wooden post  
19g/pc  
PP, UV resistance  
For ropes max.9.5mm



## JYZ003

Plastic ring insulator  
Screw in wooden post  
24.3g/pc  
PP, UV resistance  
For ropes max.12mm



## JYZ005

Plastic ring insulator  
Screw in wooden post  
16.5g/pc  
PP, UV resistance  
For ropes max.5mm



## JYZ004

Plastic ring insulator  
Screw in wooden post  
23g/pc  
PP, UV resistance  
For ropes max.12mm

# INSULATORS



## JYZ006

Plastic ring insulator  
Screw in wooden post  
25g/pc  
PP, UV resistance  
For ropes max.8mm



## JYZ007

Plastic ring insulator  
Screw in wooden post  
23g/pc  
PP, UV resistance  
For ropes max.10mm



## JYZ008

Plastic ring insulator  
Screw in wooden post  
30g/pc  
PP, UV resistance  
For ropes max.10mm



## JYZ009

Plastic ring insulator  
Screw in wooden post  
with  $\varnothing 4.5\text{mm}$  hole  
20g/pc  
PP, UV resistance  
For ropes max.9.5mm





### JYZ010

Multi purpose insulator  
Screw in wooden post  
23g/pc  
PP, UV resistance  
For ropes max.9mm  
For tapes max.20mm



### JYZ012

Plastic tape insulator  
Screw in wooden post  
20g/pc  
PP, UV resistance  
For ropes max.40mm



### JYZ011

Plastic insulator with bolt  
Installed into metal post  
26g/pc  
PP, UV resistance  
For ropes max.9mm  
For tapes max.20mm



### JYZ014

Plastic tape insulator  
Screw in wooden post  
26g/pc  
PP, UV resistance  
For ropes max.30mm

## INSULATORS

# INSULATORS



## JYZ013

Distance offset insulator  
Screw in wooden post  
60g/pc  
PP, UV resistance  
For ropes max.6mm  
For tapes max.30mm



## JYZ018

Corner pulley insulator  
Screw in wooden post  
49.8g/pc  
PP, UV resistance  
For ropes max.10mm



## JYZ019

Wire insulator  
Screw in wooden post  
20g/pc  
PP, UV resistance  
For wires max.3mm



## JYZ015

Offset ring insulator  
Installed into metal post  
56g/pc  
PP, UV resistance  
20cm length offset  
For ropes max.20mm



## JYZ016

Distance offset insulator  
Screw in wooden post  
58g/pc  
PP, UV resistance  
20cm length offset  
For ropes max.10mm



## JYZ017

Plastic insulator with bolt  
Installed into metal post  
58g/pc  
PP, UV resistance  
20cm length offset  
For ropes max.10mm  
For tapes max.40mm



# INSULATORS



## JYZ020

Corner pulley insulator  
Screw in wooden post  
96g/pc  
PP, UV resistance  
For tapes max.40mm



## JYZ021

Ring insulator  
Used for steel post  
34g/pc  
PP, UV resistance  
For ropes max.9.5mm



## JYZ022

Double U end corner insulator  
Used on end and corner post  
37.7g/pc  
PP, UV resistance  
For wires max.5mm



## JYZ023

Rope tape insulator  
Nail on wooden post  
15g/pc  
PP, UV resistance  
For ropes max.9.5mm  
For tapes max.40mm



## JYZ024

Tape insulator  
Nail on wooden post  
82g/pc/ 43g/pc  
PP, UV resistance  
For tapes max.55mm



## JYZ025

Plastic pinlock insulator  
Used for steel post  
11g/pc  
PP, UV resistance  
For wires max.4.5mm

# INSULATORS



## JYZ026

Plastic pinlock insulator  
Used for steel post  
14.1g/pc  
PP, UV resistance  
For wires max.5mm



## JYZ027

Plastic pinlock insulator  
Nail on wooden post  
17.5g/pc  
PP, UV resistance  
For ropes max.8mm



## JYZ028

Plastic pinlock insulator  
Fixed on T-post  
18g/pc  
PP, UV resistance  
For ropes max.8mm



## JYZ029

Nail on insulator  
Nail on wooden post  
10g/pc  
PP, UV resistance  
For wires max.2mm

# INSULATORS



## JYZ030

Nail on insulator  
Nail on wooden post  
11.5g/pc  
PP, UV resistance  
For wires max.4mm



## JYZ031

Rod post insulator  
Fixed on rod post  
12.9g/pc  
PP, UV resistance  
For wires max.5mm  
For rod post max.10mm



## JYZ032

Rod post insulator  
Fixed on rod post  
28g/pc  
PP, UV resistance  
For wires max.4mm  
For rod post max.18mm



## JYZ033

Rope tape insulator  
Fixed on rod post  
29g/pc  
PP, UV resistance  
For ropes max.7mm  
For tapes max.40mm



## JYZ034

Plastic claw insulator  
Nail on wooden post  
18g/pc  
PP, UV resistance  
For ropes max.7mm



# INSULATORS



## JYZ035

Distance offset insulator  
Screw in wooden post  
61g/pc  
PP, UV resistance  
For ropes max.9mm



## JYZ036

Plastic claw insulator  
Fixed on metal plate  
35g/pc  
PP, UV resistance  
For wires max.4mm



## JYZ037

Plastic claw insulator  
Nail on wooden post  
26g/pc  
PP, UV resistance  
For tapes max.40mm



## JYZ038

Egg wire strainer insulator  
Used for wires tensioning  
34g/pc  
PP, UV resistance  
For ropes max.11mm



## JYZ039

Egg wire strainer insulator  
Used for wires tensioning  
25g/pc  
PP, UV resistance  
For ropes max.8mm



## JYZ040

Gate handle insulator  
Screw in wooden post  
54g/pc  
PP, UV resistance



## JYZ041

Tape clamp connection  
Used for tape connecting  
8g/pc  
PP, UV resistance  
For tapes max.60mm

# INSULATORS



## JYZo42

Tape insulator  
Nail on wooden post  
27g/pc  
PP, UV resistance  
For tapes max.40mm



## JYZo43

Plastic post cap  
Used for post  
2.4g/pc  
PP, UV resistance  
For wires max.3mm  
For post max.11mm



## JYZo44

Plastic post cap  
Used for T-post  
61g/pc  
PP, UV resistance  
For ropes max.12mm  
For tapes max.36mm



## JYZo45

Wire strainer insulator  
Used for wire tensioning  
25g/pc  
PP, UV resistance  
For wires max.3mm



## JYZo46

Tape insulator  
Nail on wooden post  
20g/pc  
PP, UV resistance  
For tapes max.35mm&50mm



## JYZo47

Rope corner insulator  
Nail on wooden post  
65g/pc  
PP, UV resistance  
For ropes max.9.5mm

# INSULATORS



## JYZ048

Tape corner insulator  
Nail on wooden post  
75g/pc  
PP, UV resistance  
For ropes max.11mm  
For tapes max.41mm



## JYZ049

Multi rope tape insulator  
Screw in wooden post  
24g/pc  
PP, UV resistance  
For ropes max.7mm  
For tapes max.40mm



## JYZ050

Multi rope tape insulator  
Installed into metal post  
28g/pc  
PP, UV resistance  
For ropes max.7mm  
For tapes max.40mm



## JYZ051

Wire insulator  
Nail on wooden post  
17.3g/pc  
PP, UV resistance  
For wires max.5mm



## JYZ052

Insulator spinner  
Insulator tool  
68g/pc  
PP, UV resistance



## JYZ053

Tape insulator  
Screw in wooden post  
30g/pc  
PP, UV resistance  
For tapes max.40mm



## JYZ057

Tape clamp connection  
Nail on wooden post  
129g/pc  
PP, UV resistance  
For tapes max.37mm

# INSULATORS



## JYZ054

Distance offset insulator  
Screw in wooden post  
58g/pc  
PP, UV resistance  
For tapes max.40mm  
For ropes max.7mm



## JYZ055

Distance offset insulator  
Installed into metal post  
60g/pc  
PP, UV resistance  
For tapes max.40mm  
For ropes max.7mm



## JYZ056

Distance offset insulator  
Screw in wooden post  
60g/pc  
PP, UV resistance  
For ropes max.8mm



## JYZ061

Distance offset insulator  
Installed into metal post  
50.9g/pc  
PP, UV resistance  
For ropes max.10mm



## JYZ060

Distance offset insulator  
Screw in wooden post  
58.1g/pc  
PP, UV resistance  
For ropes max.9mm



## JYZ058

Standoff bracket insulator  
Clip straight into the star post  
40.7g/pc  
PP, UV resistance  
For wires max.5mm



## JYZ059

Plastic post cap  
Used for Y-post  
28.7g/pc  
PP, UV resistance

# FENCE POSTS



Photo	Product	Art.nr.	Description
1	Step In Post	PP110	Length: 1100mm, Spike: 97*5mm
2	Step In Post	PP120	Length: 1200mm, Spike: 175*8mm
3	Step In Post	PP150	Length: 1500mm, Spike: 175*8mm
4	Fiberglass Post	FRP190	Length: 900mm, Spike: 175*8mm
5	Fiberglass Post	FRP290	Length: 900mm, Spike: 175*8mm
6	Fiberglass Post	FRP390	Length: 900mm
7	Fiberglass Post	FRP490	Length: 900mm, Spike: 175*8mm



# ACCESSORIES



8



9



10



11



12



13



Photo	Product	Art.nr.	Description
1	Fence Switch	SWH001	Fence maintenance made easy, simply turn power ON or OFF to selected area
2	Fence Reel	FWL001	Large geared 1:3 for 200 mtr tape/500 mtr polywire
3	Fence Reel	FWL002	Large geared 1:1 for 200 mtr tape/500 mtr polywire
4	Fence Reel	FWL003	1:1 gear ratio, wheel size: 260mm, wheel spool: 80mm
5	Insulated Strainer	LJQ001	Dimensions: 13 x 3.5cm, Aluminum casted tooth wheel with HDG frame
6	Ratchet Strainer	LJQ003	Aluminum casted tooth wheel with electric galvanised frame
7	Ratchet Strainer	LJQ005	Aluminum casted tooth wheel with electric galvanised frame
8	Ratchet Strainer	LJQ006	Aluminum casted tooth wheel with electric galvanised frame
9	Daisy Strainer	LJQ007	Aluminum casted tooth wheel
10	Large Raddiseur	LRS	Steel, Hot galvanised
11	Unilok winder	FLS	Steel, Hot galvanised
12	Ferrule locking strainer	VW	Steel, Hot galvanised
13	Ratchet Strainer	LJQ009	Steel, Hot galvanised

# ACCESSORIES



Photo	Product	Art.nr.	Description
1	Gate Handle	MBS001	Steel or stainless steel
2	Gate Handle	MBS002	Overlength: 250mm, handle dia.: 30mm
3	Gate Handle	MBS003	UV stabilized virgin polypropylene plastic for longer life, with non-slip grip and high tensile galvanized spring
4	Gate Handle	MBS004	Total length: 22cm, spring length: 13.5cm
5	Gate Handle	MBS005	Strong galvanised hook & spring, with large protective guards, positive non slip insulated handle
6	Spring Gate Handle	MBS006	Gate kit with 5m extension spring and extended up to 5 meters
7	Spring Gate Kit	MBS007	Gate Kit with 5M Extension Spring and 2pcs insulators
8	Spring Gate Kit	MBS008	Spring Gate for opening up to 5m in width. Spring gate kit include 2 x screw in gate anchors, 5m spring and a gate handle
9	Gate Handle	MBS009	Spring Gate Handles with Tape connector for up to 40mm tape

## ACCESSORIES






Photo	Product	Art.nr.	Description
1	Roller Gate	MBS010	Works with horse, livestock, garden fence & More
2	Roller Gate	MBS011	Can extend up to 6 meters
3	Polywire Joiner	WNR001	Size: 2mm/3mm/4mm/5mm/6mm/8mm, galvanised
4	Claw Joint Clamps	WNR002	Hot dip galvanised, suitable for wire up to 4mm
5	Joint Clamps	WNR004	For connecting iron-aluminum-and steel wire 2.5mm
6	Crimp Sleeves	WNR005	Aluminum, Sleeve ID: 2.5mm
7	Crimp Sleeves	WNR006	Used for 2.5mm fencing wire
8	Rope Connectors	WNR007/008/009	3 Size: 4mm/5mm/6mm, galvanised, with wing nuts

# ACCESSORIES

1



2



3



4



5



6



7



Photo	Product	Art.nr.	Description
1	Tape Connectors	TPR002	2 size: 42.5*42.5mm/22.5*47mm
2	Tape Connectors	TPR003	2 size: 20mm/40mm, made of stainless steel
3	Tape Connectors	TPR004	2 size: 20mm/40mm, made of stainless steel
4	Ring Insulator Tool	NTL001	This tool makes it quick and easy to install ring insulators for offset electric wires
5	Tension Spring	SPW002	Used to indicate tension of wire. one inch of compression equals 150 pounds of pull.
6	Warning Sign	WS001	Length: 24.5cm, Width: 13cm, Thickness: 2mm
7	Battery	4R25	6V



# ANIMAL TRAPS

1



Product	Art,nr.	Size	Function
Trap	BSL2215	22.5*15*10cm	Unfoldable

2



Product	Art,nr.	Size	Function
Trap	BSL1810	18.5*10*7cm	Unfoldable
Trap	BSL3115	31*15*16.5cm	Unfoldable

3



Product	Art,nr.	Size	Function
Trap	BSL6623	66*23*26cm	Collapsible
Trap	BSL9434	94*34*37cm	Collapsible
Trap	BSL10840	108*40*45cm	Collapsible
Trap	BSL15050	150*50*55cm	Collapsible



# ANIMAL DRINKERS & FEEDERS

---



**CD001**

**Chicken feeder**  
580g/pcs  
Size: 5.5L  
Color can be customized



**CD002**

**Chicken feeder**  
Size: 1.5kg/3kg/6kg/9kg  
Material: pp  
Color: Red&white



**CD003**

**Chicken feeder**  
Size: 1L/1.5L/3L/6L/11L/15L  
Material: pp  
Color: Red&white



**ACF002**

**Auto chicken feeder**  
Size: 51\*32\*19cm  
Surface treatment: Powder painting  
Capacity: 5kg/s

# CHICKEN COOP DOOR OPENERS

---



# CHICKEN COOP DOOR OPENERS



## AD001 More Basically

Lightsensor  
Adjustable light sensor control the door opening in the morning and closing at dusk

## AD002 More Exactly

Lightsensor&timer with 4 working modes,  
Timer controls the door opening and closing at set times

## AD002R More Lovely

Lightsensor&timer with recording function,  
Voice recorder enable your chicken hear your voice

## AD002E More safely

Lightsensor + timer with automatic energize function,  
Electric energizer can be automatically energized in the morning and at the dusk to protect your chicken

No.	Light Sensor	Timer	Voice Recorder	Stimulate Energizer
AD001	●	○	○	○
AD002	●	●	○	○
AD002R	●	●	●	○
AD002E	●	●	○	●

● Existing Function      ○ Optional Function



# CHICKEN COOP DOOR OPENERS



## AD003

### Chicken door opener with adapter

Light sensor & timer with 4 working modes  
Adapter working voltage: 110v~240v  
Chicken door opener working voltage: 12v  
Adapter socket type: US, EU, AUS type and so on.

### Advantages:

1. Applicable for 4 AA battery and AC power.
2. Easy to install and use.
3. Set and use with Lumen.
4. Set opening position by manual.



## AD004

### Chicken door opener with adapter & actuator


Light sensor & timer with 4 working modes  
Adapter working voltage: 110v~240v  
Chicken door opener working voltage: 12v  
Adapter socket type: US, EU, AUS type and so on.  
Actuator data: 300mm stroke, 10mm/s, 100N, DC12v, 1.1kg/pcs.

### Advantages:

1. Lift more than 5kg doors.
2. Adapter power supply.
3. Waterproof shell.
4. LCD screen display.
5. Exact Lumen value measuring unit.
6. Manual opening and closing.
7. Built-in button battery offers power when adapter power cut.
8. Anti-pinch function will not let your chickens be hurt by door.



# CHICKEN COOP DOOR OPENERS





## AD005 *New*

Chicken door opener with adapter  
 Light sensor & timer with 4 working modes  
 Power supply: 4 pieces of AA battery  
 Chicken door opener working voltage: 6v

### Advantages:

1. External buttons is easy to operate.
2. Waterproof shell.
3. LCD screen display.
4. Customizable boot screen.
5. Battery power display.
6. Exact Lumen value measuring unit.
7. External screw mounting hole.
8. Manual opening.
9. Customized different language.



## AD006 *New*

Chicken door opener  
 Light sensor & timer with 4 working modes  
 Power supply: 4 pieces of AA battery or 6V battery  
 Chicken door opener working voltage: 6V

### Advantages:

1. External buttons is easy to operate.
2. LCD screen display.
3. Manual opening.
4. Customizable boot screen.
5. Battery power display.
6. Exact Lumen value measuring unit.
7. Customized different language
8. Metal gear lifter instead of wire.
9. Automatic locked door will prevent predator lift the door.
10. Anti-pinch function will not let your chickens be hurt by door.



# CHICKEN NETTINGS

---



## **H.P.S. CHICKEN NETTING INSTRUCTION**

If you're looking for poultry netting to fence in your chickens, this is a great choice.


# CHICKEN NETTINGS



You can design the range of chicken' s raising by yourself according to your imagination.T

his netting is without electricity. It is ok for you to set the electric fence outside the net. Then your chickens will away from dangerous.

Use this poultry fencing to keep your chickens within an area, giving them more space to roam or, of course, out of a part of your garden, like your prized vegetable patch!



# CHICKEN NETTINGS



Netting Length	Pole	Gate Pole	Peg	Guy Line
1.25x12M	6	1	16	4
1.25x21M	10	1	24	4
1.25x24M	12	1	32	4

It can be customized according to clients' requirements.



# CHICKEN NETTINGS

## TALLER THAN MOST FENCING


With an overall height of 1.25m, (which is taller than most chicken fencing), you can be confident that even the most determined of your feathered friends won't make a great escape!

This poultry fencing is also suitable for use with smaller birds like bantams. The bottom section of the fencing has holes that are only 50mm wide to stop them wriggling their way through. The holes higher up are 100mm wide.


### Please note:

This netting is intended as a means of keeping your chickens in a contained area. It is not predator proof and cannot be electrified.

### H.P.S Netting



### Typical height of normal chicken netting



# ELECTRIC NETTINGS




Electric netting offers a simple way to protect your animals. Including the chicken, duck, sheep, rabbit, etc. You will need an energizer to offer power by connecting the netting.

This netting is removable, you can put it away when you're not using. It is both suitable for family and big farm. You can use around the chicken coop or just put in your garden. You can install the netting in any shapes you want.


The solid PE netting is made of UV resistance material, with high conductive and quality stainless steel wire. The post is used fiberglass material, with metal head, so it will be easy to inserted into the soil. And the door will not lie on the ground because of the special design.




# ELECTRIC NETTINGS



Electric netting for chicken is according to their flying ability (55cm-85cm, even to 120cm). 3-4 fire lines (red line) is reasonable.



Fire lines' height for rabbits.



Fire lines' height for sheep.

Netting Length	Pole	Gate Pole	Peg	Guy Line
12M	5	1	16	4
21M	9	1	24	4
50M	17	1	42	4

For different animals, customized different electric netting. Color and size of netting are customizable.

Color: ● ● ● ● ●

# ELECTRIC NETTINGS



Our electric netting is with 4 pcs guy line, that make our netting more tightly and firmly.



Our electric netting is with fiberglass post, is very strong.



Our electric netting aperture is 45\*45mm and 100\*100mm.

## Advantages



Our electric netting pole cap can adjust the tension of netting.



Our electric netting is with a short gate post, it locks securely.



Our electric netting is with a simple crocodile clip for connect energizer.

# ANIMAL CLIPPER



<b>PIC.</b>	<b>ITEM NO.</b>	<b>Voltage(V)</b>	<b>Power(W)</b>
1	SCP001	110/220-240	350
2	SCP002	110/220-240	500



# PET PRODUCTS

---



# PET PRODUCTS



**BL01**

Dog ball launcher  
Material: ABS Plastic  
Range: 1~11m  
Color: ● ● ●



**CCT001**

Cat chasing toy  
Material: PP Plastic  
Dia: 25cm  
Color: ● ●



**CT002**

Cat tunnel  
Material: Polyester & steel wire  
Size: 80\*55\*25cm  
Features: Collapsible  
Color: ● ● ● ● ● ●



**LFB001**

Leakge food ball  
Material: ABS Plastic  
Height: 13cm  
Weight: 307g  
Dia. of top: 5.5cm  
Dia. of bottom: 12.5cm



**PCS001**

Safety pet seat  
Features: Multiduty  
Color: ● ● ● ●



**PF003**

Temporary pet cage  
Material: Powder coating steel  
Size: S:61\*60cm, M:61\*76cm, L:61\*91cm  
Panel: 8pcs/set  
Features: Collapsible

# PET PRODUCTS



**MS001**

Measure spoon

Material: ABS Plastic

Capacity: Around 250ml

Power supply: CR2032 3v battery



**DTB001**

Dog toothbrush

Weight: M:135g, L:278g

Size: M:4\*10\*15cm, L:5\*13\*18cm

Packing: OPP bag or skin packing

Color: ● ●



**PHR001**

Pet hair remover

Material: PP,ABS & Polyester

Color: ● ● ● ● ● ●



**DW004**

Pet grooming brush

Material: Silicone & ABS plastic

Color: ● ● ● ● ●



**PWC001**

Pet water cup

Capacity: 300ml

Size: 64\*64\*188mm

Material: PC & ABS Plastic

Color: ● ● ● ●



**SPB001**

Silicone pet bowl

Material: Silicone

Feature: Collapsible

Color: ● ●



# HAMSTER PRODUCTS

---



## HRB001

Hamster run exercise ball  
Material: PP  
Dia: 12cm, 14cm, 16cm, 20cm  
Color: ● ● ●



## HH001

Hamster house  
Material: Natural wood  
Size: 17\*16\*15cm  
Weight: 250g



## HRT001

Hamster running track  
Material: PP Plastic  
Qty: 4 pcs/set or 6 pcs/set  
Color: ● ●





**H.P.S FENCE SUPPLIES CO.,LTD**

Tel: 86-571-89774060

Fax: 86-571-89774057

Email: [hps01@hpsunionpower.com](mailto:hps01@hpsunionpower.com)

Add: D406, No.11, Xiyuan 8th Road, West Lake Science &  
Technology Park Hangzhou, China, 310030

[www.hpsfence.com](http://www.hpsfence.com)

<http://hpsfence.en.alibaba.com>